

# ILLUMINATION

Stanley is responsible for helping to revolutionize the flashlight industry and creating a whole new category of personal, portable lighting devices. After years of research and development, the company now offers a full range of hands-free work lights and high-performance aluminum flashlights that boast the latest design innovations and LED bright-light technologies. More importantly, each new model delivers the 4 characteristics that everyone wants in a portable light: brightness, reliability, ruggedness and long-term durability.

This category includes the innovative new hands-free Stanley Clamp Light, which has a large spring-loaded handle that opens up to 4 inches wide for grabbing onto exposed ceiling joists, wall studs, fence posts, tabletops and/or car hoods. It features an oversized rotating, tilting head; impact-resistant housing; non-slip comfort grip; and super-bright LED bulb with shatterproof lens. It's also equipped with parallel-cell technology, which allows the light to run on 2 or 4 C-size batteries for up to 30 hours of illumination.

Another innovation pioneered by Stanley is its line of LED tripod lights. Each light can be used as a standard flashlight, but at the push of a button, 3 legs pop out, converting the handheld flashlight into a freestanding lantern. There are 4 different sizes of tripod lights, including the 3-in-1 model that can be used as a powerful handheld flashlight, as a freestanding lantern, or disassembled and used as 3 separate smaller flashlights. All Stanley tripod lights feature pivoting heads for precisely aiming the light beam exactly where it's needed.

To satisfy the demand for high-performance, extremely rugged flashlights, Stanley manufactures a line of pro-duty aluminum flashlights that feature durable anodized-aluminum bodies fitted with non-slip grips, electroplated reflectors, shatterproof lenses and weather-resistant seals that keep out dust and moisture. Both battery-powered and rechargeable models are available.



CLAMP FLASHLIGHTS	152
TRIPOD FLASHLIGHTS	152-154
ALUMINUM FLASHLIGHTS	154-155

**STANLEY**®

# ILLUMINATION



## Stanley® LED Clamp Flashlight

- Clamp feature provides for hands-free use
- Spring-loaded clamp opens to 4" wide to allow for gripping onto ceiling beams, floor joists, tabletops, pipes and vehicle components
- 350° rotational head with 120° tilt focuses light where it is needed most
- Powerful flood lighting will illuminate a large work surface area
- Parallel cell technology uses 2 or 4 C cell batteries with up to 30 hours of use
- One 3-watt bright white, long-lasting LED delivers a strong spot beam and 77 lumens of light
- Non-marring rubberized clamp feet and non-slip comfort grip
- On/Off switch
- Meets or exceeds ANSI standards
- Compliant with ANSI, CE and RoHs standards

SKU #	BATTERIES (NOT INCLUDED)	RUN TIME	BRIGHTNESS	BULB TYPE	IMPACT RESISTANCE		HEIGHT		BOX QTY	CTN QTY	UPC
					FT.	M	IN.	MM			
95-891	2 or 4 C	30 Hours (using 4 C batteries)	77 Lumens	3 W LED	6	1.8	13-7/9	350	—	2	76174958911



## Stanley® LED Tripod Flashlight – 3-in-1

- 3-in-1 design can be used as one powerful flashlight or separately as 3 flashlights
- Tripod design provides capability for hands-free use
- Three 120° rotational heads with shatter-resistant lens focus light where it's needed most
- 100 lumens of combined light using three 1/2-watt white, long-lasting LEDs
- On/Off switch for each flashlight
- Compliant with ANSI, CE and RoHs standards
- Slip-resistant rubber feet

SKU #	BATTERIES (NOT INCLUDED)	RUN TIME	BRIGHTNESS	BULB TYPE	BEAM DISTANCE		IMPACT RESISTANCE		HEIGHT		BOX QTY	CTN QTY	UPC
					FT.	M	FT.	M	IN.	MM			
95-155	6 AA (2 per Flashlight)	5 Hrs	100 Lumens (34 Lumens ea)	1/2 W LED	375	115	3	0.9	13-3/4	349	—	4	76174951554

## Stanley® LED Tripod Flashlight – Standard

- Tripod design provides capability for hands-free use
- Magnetized and anodized aluminum tripod legs fold together to become a regular hand-held flashlight
- 3-6-9 technology gives user the choice to run the flashlight on 3, 6 or 9 AA batteries
- 100° rotational head with shatter-resistant lens focuses light where it's needed most
- One 1/2-watt bright white, long-lasting LED delivers a strong spot beam
- Slip-resistant rubber grip and feet
- On/Off switch
- Compliant with ANSI, CE and RoHs standards



SKU #	BATTERIES (NOT INCLUDED)	RUN TIME	BRIGHTNESS	BULB TYPE	BEAM DISTANCE		IMPACT RESISTANCE		HEIGHT		BOX QTY	CTN QTY	UPC
					FT.	M	FT.	M	IN.	MM			
<b>95-112W</b>	3, 6 or 9 AA	90 hrs (using 9 AA)	20 Lumens	1/2 W LED	282	86	3	0.9	11-8/9	302	—	6	076174951127

## Stanley® LED Tripod Flashlight – Mini

- Tripod design provides capability for hands-free use
- Magnetized and anodized aluminum tripod legs fold to become a regular hand-held flashlight
- 100° rotational head with shatter-resistant lens focuses light where it's needed most
- Three 5mm bright white, long-lasting LEDs
- Slip-resistant rubber grip and feet
- On/Off switch
- Compliant with ANSI, CE and RoHs standards



SKU #	BATTERIES (NOT INCLUDED)	RUN TIME	BRIGHTNESS	BULB TYPE	IMPACT RESISTANCE		HEIGHT		BOX QTY	CTN QTY	UPC
					FT.	M	FT.	M			
<b>95-111</b>	3 AAA	10 hrs	8 Lumens	5mm LED	3	0.9	7-1/2	2.3	4	24	076174951110

# ILLUMINATION



## Stanley® LED Tripod Flashlights - Keychain

- Tripod design provides capability for hands-free use
- Tripod legs fold together to become a regular hand-held flashlight
- 90° rotational head with shatter-resistant lens focuses light where it's needed most
- Convenient keyring attachment included
- One 5mm bright white LED lasts 100,000 hours
- On/Off switch
- Compliant with ANSI, CE and RoHs standards

SKU #	INCLUDES	COLOR	BATTERIES (INCLUDED)	RUN TIME	BRIGHTNESS	BULB TYPE	IMPACT RESISTANCE		HEIGHT		BOX QTY	CTN QTY	UPC
							FT.	M	IN.	MM			
95-113X	10 units (per clipstrip)	Black	LR41 Lithium Button	5 hrs	2 Lumens	5mm LED	3	0.9	3-1/2	89	10	60	76174951134
95-144X	10 units (per clipstrip)	Blue, Green, Purple, Pink & Black	LR41 Lithium Button	5 hrs	2 Lumens	5mm LED	3	0.9	3-1/2	89	10	60	76174951134
95-145M	10 units (per countertop)	Blue, Green, Purple & Pink	LR41 Lithium Button	5 hrs	2 Lumens	5mm LED	3	0.9	3-1/2	89	—	16	76174951134

## STANLEY® PERFORMANCE ALUMINUM FLASHLIGHTS

- Durable anodized aluminum body with slip-resistant textured grip
- Electroplated reflector combined with a shatter-proof lens provides a strong focused beam
- IPX4 level weather resistance prevents water from entering the flashlight in outdoor conditions
- High-visibility yellow bands allows easy identification
- Meets or exceeds ANSI standards



## Stanley® Performance Aluminum Flashlight

- One 1-1/4-watt bright white, long-lasting LED delivers 40 lumens of light
- Tactile, rubberized rear on/off switch for easy and comfortable access
- Wrist band lanyard included to help prevent flashlight from being dropped

SKU #	BATTERIES (NOT INCLUDED)	RUN TIME	BRIGHTNESS	BULB TYPE	BEAM DISTANCE		IMPACT RESISTANCE		HEIGHT		BOX QTY	CTN QTY	UPC
					FT.	M	FT.	M	IN.	MM			
95-151	2 AA	5 hrs	40 Lumens	1-1/4 W LED	433	132	3	0.9	8-3/4	222	—	6	076174951516

## Stanley® Performance Aluminum Flashlight

- One 3-watt bright white, long-lasting LED delivers 70 lumens of light
- Tactile, rubberized rear on/off switch for easy and comfortable access
- Wrist band lanyard included to help prevent flashlight from being dropped



SKU #	BATTERIES (NOT INCLUDED)	RUN TIME	BRIGHTNESS	BULB TYPE	BEAM DISTANCE		IMPACT RESISTANCE		HEIGHT		BOX QTY	CTN QTY	UPC
					FT.	M	FT.	M	IN.	MM			
<b>95-152</b>	3 AAA	3 hrs	70 Lumens	3 W LED	548	167	3	0.9	4-3/4	121	—	6	076174951523

## Stanley® Performance Aluminum Flashlight

- One 3-watt bright white, long-lasting LED delivers 70 lumens of light



SKU #	BATTERIES (NOT INCLUDED)	RUN TIME	BRIGHTNESS	BULB TYPE	BEAM DISTANCE		IMPACT RESISTANCE		HEIGHT		BOX QTY	CTN QTY	UPC
					FT.	M	FT.	M	IN.	MM			
<b>95-153</b>	3 D	72 hrs	70 Lumens	3 W LED	876	267	3	0.9	15	381	—	6	076174951530

## Stanley® Performance Aluminum Flashlight – Rechargeable

- Rechargeable Ni-MH batteries can be charged up to 500 cycles
- One 3-watt bright white, long-lasting LED delivers 70 lumens of light
- Included: Recyclable Nickel Metal Hydride (Ni-MH) batteries and charging adapter
- Wrist band lanyard included to help prevent flashlight from being dropped



SKU #	BATTERIES (INCLUDED)	RUN TIME	CHARGE TIME	BRIGHTNESS	BULB TYPE	BEAM DISTANCE		IMPACT RESISTANCE		HEIGHT		BOX QTY	CTN QTY	UPC
						FT.	M	FT.	M	IN.	MM			
<b>95-154</b>	1 Ni-MH	2 hrs	8 hrs	70 Lumens	3 W LED	446	136	3	0.9	7-5/8	194	—	6	076174951547